

|                    | 1. Product and Company Ide   | entification                       |  |
|--------------------|--|------------------------------------|--|
| Product Code:      | 103QT; 103G  |                                    |  |
| Product Name:      | Descale Plus   |                                    |  |
| Company Name:      | Great Western Sanitary Supplies<br>17522 Griffin Lane Huntington Beach<br>Huntington Beach, CA 92647 | <b>Phone Number:</b> (714)536-6544 |  |
| Emergency Contact: | Infotrac   | (800)535-5053                      |  |
| Recommended Use:   | Descaler   |                                    |  |
| Intended Use:      | For sale to, use and storage by service persons only.  |                                    |  |

# 2. Hazards Identification

Skin Corrosion/Irritation, Category 1B Corrosive To Metals, Category 1 Serious Eye Damage/Eye Irritation, Category 1



| GHS Signal Word: Danger            |  |
|------------------------------------|--|
| GHS Hazard Phrases: Causes s       | severe skin burns and eye damage.  |
| May be c                           | corrosive to metals.   |
| Causes s                           | serious eye damage.  |
| GHS Precaution Phrases: Keep out   | of reach of children.  |
| -                                  | tective gloves, protective clothing, eye protection, face protection.                                |
| •                                  | y in original container.   |
| Wash ha                            | nds thoroughly after handling.   |
| • •                                | : Rinse cautiously with water for several minutes. Remove contact lenses, if                         |
| •                                  | and easy to do. Continue rinsing.  |
|                                    | ved: Rinse mouth. Do NOT induce vomiting.  |
|                                    | DISON CENTER or doctor if you feel unwell.   |
| breathing                          | : Remove victim to fresh air and keep at rest in a position comfortable for                          |
|                                    | (or in hair): Wash with plenty of soap and water. If skin irritation or rash occurs,                 |
|                                    | dical attention.   |
| GHS Storage and Disposal Store loc | ked up.  |
| Phrases: Dispose regulation        | of contents and container according to the local, city, state and federal ns.                        |
| 0                                  | cool dry place at room temperature away from direct sunlight.  |
| Potential Health Effects           |  |
| (Acute and Chronic):               |  |
| Inhalation: Causes of              | hemical burns to the respiratory tract.  |
| Skin Contact: Causes s             | evere skin irritation and burns. Avoid any skin contact.   |
| Eye Contact: Avoid any             | y eye contact. Corrosive, contact causes severe eye burns.   |
| 0                                  | evere digestive tract burns with abdominal pain, vomiting, and possible death.<br>atal if swallowed. |



|  | 3.                          | Composition/Information on Ingredients  |
|--|-----------------------------|---|
| CAS #                                    | Hazardous Com               | oonents (Chemical Name) Concentration   |
| 7664-38-2                                | Phosphoric acid             | 20.0 -50.0 %  |
|  |                             | 4. First Aid Measures   |
| Emergency a<br>Procedures:               | and First Aid               |   |
| In Case of In                            | halation:                   | Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. If unconscious, call a physician.  |
| In Case of SI                            | kin Contact:                | Get medical aid immediately. Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  |
| In Case of Ey                            | ye Contact:                 | Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid immediately.   |
| In Case of In                            | gestion:                    | Do NOT induce vomiting. Drink large amounts of water. Call physician.   |
| Note to Phys                             | sician:                     | Treat symptomatically and supportively.   |
|  |                             | 5. Fire Fighting Measures   |
| Flash Pt:                                |                             | No data.  |
| Explosive Li                             | mits:                       | LEL: N.E. UEL: N.E.   |
| Autoignition                             | Pt:                         | No data.  |
| Suitable Ext                             | inguishing Media            | CO2, dry foam, water.   |
| Fire Fighting                            | g Instructions:             | As in any fire, wear a self-contained breathing apparatus in pressure-demand,<br>MSHA/NIOSH (approved or equivalent), and full protective gear. Substance is<br>noncombustible.   |
| Flammable F<br>Hazards:                  | Properties and              | No data available.  |
|  |                             | 6. Accidental Release Measures  |
| Steps To Be<br>Material Is R<br>Spilled: | Taken In Case<br>eleased Or | Use proper personal protective equipment as indicated in Section 8.<br>Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container.<br>Do not let this chemical enter the environment. Absorb spill with inert material (e.g. dry<br>sand or earth), then place in a chemical waste container. |
|  |                             | 7. Handling and Storage   |
| Precautions<br>Handling:                 | To Be Taken in              | Do not breathe dust, vapor, mist, or gas. Do not get in eyes, on skin, or on clothing. Do not ingest or inhale. Use only in a chemical fume hood. Keep out of reach of children. Wash hands thoroughly after handling.  |
| Precautions<br>Storing:                  | To Be Taken in              | Store in a cool, dry place. Store in a tightly closed container.  |
|  | 8                           | Exposure Controls/Personal Protection   |

## 8. Exposure Controls/Personal Protection



Page: 3 Printed: 05/18/2015 Revision: 02/24/2015 Supersedes Revision: 10/23/2013

|   |                   |                                    |                            |   | edes Revision: 10/23/2013 |
|---|-------------------|------------------------------------|----------------------------|---|---------------------------|
| CAS #   | Partial Chemical  | Name                               | OSHA TWA                   | ACGIH TWA   | Other Limits              |
| 7664-38-2   | Phosphoric acid   |                                    | PEL: 1 mg/m3               | TLV: 1 mg/m3<br>STEL: 3 mg/m3                           | No data.                  |
| Respiratory   | Equipment         | Follow the OSH                     | A respirator regulations   | found in 29 CFR 1910.134                                | or European               |
| (Specify Typ  | e):               | Standard EN 14                     | 9. Use a NIOSH/MSHA        | or European Standard EN                                 | 149 approved              |
|   |                   | respirator if expo<br>experienced. | sure limits are exceede    | d or if irritation or other sy                          | mptoms are                |
|   | ~ ~ .             | •                                  |                            |   |                           |
| Eye Protection  |                   | Wear chemical s                    |                            |   |                           |
| Protective G  |                   |                                    | e protective gloves to pr  | •   |                           |
|   | tive Clothing:    |                                    | e protective clothing to p | •   |                           |
| Engineering<br>(Ventilation e   |                   | •                                  | •                          | should be equipped with a<br>on to keep airborne concer |                           |
|   |                   | 9. Physica                         | al and Chemical            | Properties  |                           |
| Physical Sta  | tes:              | []Gas [X]                          | Liquid [ ] Solid           |   |                           |
| Appearance  | and Odor:         | Green color liqui                  | d with acrid fragrance.    |   |                           |
| Melting Poin  | t:                | No data.                           |                            |   |                           |
| <b>Boiling Point</b>  | t:                | > 212.00 F                         |                            |   |                           |
| Autoignition  | Pt:               | No data.                           |                            |   |                           |
| Flash Pt:   |                   | No data.                           |                            |   |                           |
| Explosive Li  | mits:             | LEL: N.E.                          | UEL: N.E.                  |   |                           |
| Specific Gra  | vity (Water = 1): | 1.220                              |                            |   |                           |
| Density:  |                   | 10.2 lbs/gal                       |                            |   |                           |
| Vapor Press   | ure (vs. Air or   | NE                                 |                            |   |                           |
| mm Hg):   |                   |                                    |                            |   |                           |
| Vapor Densi   | ty (vs. Air = 1): | NE                                 |                            |   |                           |
| Evaporation   | Rate:             | NE                                 |                            |   |                           |
| Solubility in   | Water:            | 100%                               |                            |   |                           |
| Saturated Va  | •                 | NE                                 |                            |   |                           |
| Concentratio  | on:               |                                    |                            |   |                           |
| Viscosity:  |                   | NP                                 |                            |   |                           |
| pH:   |                   | 0.5 - 2.0                          |                            |   |                           |
| Percent Vola  |                   | No data.                           |                            |   |                           |
| VOC / Volum   |                   | 0.0000 GL                          |                            |   |                           |
| Corrosion Ra  | ate:              | NE                                 |                            |   |                           |
|   |                   | 10. St                             | tability and Read          | ctivity   |                           |
| Stability:  |                   | Unstable [ ]                       | Stable [ X ]               |   |                           |
| Conditions T<br>Instability:  | o Avoid -         | Incompatible ma                    | terials, Metals. Excess    | heat.   |                           |
| Incompatibility - Materials To Strong oxidizers, strong alkali materials, aluminum and soft metals.<br>Avoid: |                   |                                    |                            |   |                           |
|   | ecomposition O    | r CO, CO2.                         |                            |   |                           |
| Possibility o<br>Reactions:   |                   | Will occur [ ]                     | Will not occur [ X ]       |   |                           |
| Conditions T<br>Hazardous R   |                   | No data availabl                   | е.                         |   |                           |



|                            |  | 2010  |  |
|----------------------------|--|-------|--|
|                            | 11. Toxicological Information  |       |  |
| Toxicological Information: | No data available.   |       |  |
|                            | CAS# 7664-38-2:  |       |  |
| Carcinogenicity/Other      | Acute toxicity, LD50, Oral, Rat, 1530. MG/KG.  |       |  |
| Information:               | Results:   |       |  |
|                            | [Beha (missing text!)] [Chan (missing text!)] [in (missing text!)] [psyc (missing text!)] [t       |       |  |
|                            | (missing text!)]; BIOFAX Industrial Bio-Test Laboratories, Inc., Data Sheets., Vol/p/yi 17-4, 1970 | r:    |  |
|                            | CAS# 7664-38-2: Not listed by ACGIH, IARC, NTP, or CA Prop 65.                                     |       |  |
| Coroinegonioity            |  |       |  |
| Carcinogenicity:           |  |       |  |
|                            | 12. Ecological Information   |       |  |
|                            | No data available.   |       |  |
| Results of PBT and vPvB    | CAS# 7664-38-2:  |       |  |
| assessment:                | Not reported., Rainbow Trout (Oncorhynchus mykiss), fingerling, 5.190 %, 27 W,                     |       |  |
|                            | Growth, Water temperature: 16.00 C - 20.00 C C.<br>Results:  |       |  |
|                            | Morphological changes.   |       |  |
|                            | - Effect of Various Types of Phosphates on Zinc Availability to Rainbow Trout, Satoh,              | , S., |  |
|                            | N. Porn-Ngam, T. Takeuchi, and T. Watanabe, 1993   |       |  |
|                            | 13. Disposal Considerations  |       |  |
| Waste Disposal Method:     | Dispose of contents and container according to the local, city, state and federal                  |       |  |
|                            | regulations.   |       |  |
|                            | 14. Transport Information  |       |  |
| LAND TRANSPORT (US DOT     | г):  |       |  |
| DOT Proper Shipping Na     | ame: Quart: Limited quantity.  |       |  |
|                            | Gallon or higher: UN1760, Corrosive Liquids, n.o.s., (Contains Phosphoric Acid),                   | 8,    |  |
|                            |  |       |  |
| DOT Hazard Class:          | 8 CORROSIVE<br>UN1760 Packing Group: III   |       |  |
| UN/NA Number:              | UN1760 Packing Group: III  |       |  |
|                            |  |       |  |
|                            | CORROSIVE<br>8   |       |  |
| LAND TRANSPORT (Canadi     |  |       |  |
| TDG Shipping Name:         | UN1760, Corrosive Liquids, n.o.s., (Contains Phosphoric Acid), 8, III.                             |       |  |
|                            |  |       |  |
| LAND TRANSPORT (Europe     |  |       |  |
| ADR/RID Shipping Name      |  |       |  |
| AIR TRANSPORT (ICAO/IAT    | A):  |       |  |
| ICAO/IATA Shipping Nan     | me: UN1760, Corrosive Liquids, n.o.s., (Contains Phosphoric Acid), 8, III.                         |       |  |
|                            |  |       |  |



# **15. Regulatory Information**

CAS #

7664-38-2

Hazardous Components (Chemical Name) Phosphoric acid

Other US EPA or State Lists

CA PROP.65: No; CA TAC, Title 8: TAC, Title 8

